

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product code : Hygienfresh Essenza Soffio Tropicale
Trades code : A48-029
Product line: Hygienfresh

1.2. Relevant identified uses of the substance or mixture and uses advised against

Perfumed essence
Industrial Manufacturing[SU3]

Uses advised against
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Tintolav s.r.l. - Via M. D' Antona 7 - 10028 Trofarello (TO) Tel. 011/649.68.27 Fax 011/649.67.42

Email: info@tintolav.com - Sito internet: www.tintolav.com

Email tecnico competente: a.conedera@tintolav.com

National contact: Malta: Emergency Ambulance 112
Accident & Emergency Department 2545 4030

1.4. Emergency telephone number

The UK National Poisons Emergency number +44 (0)870 600 6266
London: Emergency 24 hour telephone +44 (0) 207188 0100

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS05, GHS07, GHS09

Hazard Class and Category Code(s):
Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2

Hazard statement Code(s):
H302 - Harmful if swallowed.
H318 - Causes serious eye damage.
H317 - May cause an allergic skin reaction.
H411 - Toxic to aquatic life with long lasting effects.

2.1.2 Classification according to Directive 1999/45/EEC:

Classification:
Xn; R22 Xi; R41 Xi; R43 N; R51/53

Nature of special risks attributed:
R22 - Harmful if swallowed.
R41 - Risk of serious damage to eyes.
R43 - May cause sensitization by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful product: do not ingest

The product, if brought into contact with skin can cause skin sensitization.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05, GHS07, GHS09 - Danger



Hazard statement Code(s):

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Contains:

2-tridecoxyethanol, 2-(4-tert-butylbenzyl)propionaldehyde, Butylphenyl methylpropional
28,00% of the mixture consists of components whose toxicity is unknown.

The mixture contains 28,00% of the components of which is unknown toxicity to the aquatic environment.

The mixture contains 28,00% of the components of which is unknown toxicity to the aquatic environment. Hydroxy-citronellal, Citronellol, Coumarin: It can produce an allergic reaction.

Contains (Reg. EC 648/2004):

> 30% perfumes, 15% < 30% non-ionic surfactants, < 5% Citronellol, Geraniol, Hydroxy-citronellal, Linalool, Butylphenyl methylpropional, Coumarin, hydroxy-methylpentylcyclohexenecarboxaldehyd

For professional use only

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
2-tridecoxyethanol - FEMA 0	> 20 <= 30%	Xn; R22 Xi; R41 Acute Tox. 4, H302; Eye Dam. 1, H318		24938-91-8		
diethyl phthalate - FEMA 0	> 10 <= 20%	Xi; R36 Eye Irrit. 2, H319		84-66-2	201-550-6	01-2119430 458-38-000 0
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone - FEMA 0	> 1 <= 5%	N; R51/53 Aquatic Chronic 2, H411		54464-57-2	259-174-3	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	> 1 <= 5%	N; R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	603-212-00-7	1222-05-5	214-946-9	01-2119488 227-29-000 0
1,4-dioxacycloheptadecane-5,17-dione - FEMA 3543	> 1 <= 5%	N; R51/53 Aquatic Chronic 2, H411		105-95-3	203-347-8	
2-(4-tert-butylbenzyl)propionaldehyde	> 1 <= 5%	Xn; R22 Xi; R38 N; R51/53 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Repr. 2, H361f; Aquatic Chronic 2, H411		80-54-6	201-289-8	01-2119907 954-30-000 0

SECTION 4. First aid measures
4.1. Description of first aid measures
Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

The product is harmful and can cause irreversible damages even following a single exposure if swallowed.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Wear mask, gloves and protective clothing. Suitable: LaTeX, nitrile, PVC

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors. See also paragraph 8 below.
At work do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and `direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

No data available.

8.2. Exposure controls



Appropriate engineering controls:
Industrial Manufacturing:
No specific monitoring foreseen

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not needed for normal use.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	ochre liquid	
Odour	characteristic	
Odour threshold	not determined	
pH	not determined	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	> 100 °C	
Flash point	> 60 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	0,980 - 1,020 g/cm3	
Solubility	not determined	
Water solubility	soluble in water	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can ignite in contact with oxidants mineral acids.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 1.277,3 mg/kg

ATE(mix) dermal = 0,0 mg/kg

ATE(mix) inhal = 0,0 mg/l/4 h

(a) acute toxicity: Harmful product: do not ingest

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone: TOXIC DOSE 1-LD > 50 5000 mg/kg (oral rat)

TOXIC DOSE 2-LD > 50 5000 mg/kg (skn-rbt)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Acute Oral Toxicity

(1) Wistar rats (10/sex) were administered commercial grade HHCB (65% HHCB in either diethyl phthalate or isopropyl myristate) via gavage at 5000 mg/kg-bw and observed for 14 days. The corrected dose of HHCB was 3250 mg/kg-bw. One death occurred at this dose.

LD50 > 3250 mg/kg-bw

(2) Rats (10 females/dose; strain not specified) were administered commercial sample (65% HHCB in either diethyl phthalate or isopropyl myristate) via gavage at 3000 mg/kg-bw and observed for 14 days. It is not clear whether the reported dose reflected dose of the mixture or of HHCB. Therefore, a conservative estimate of the LD50 is considered to be 65% of the test concentration. No mortality was observed during the study.

LD50 > 1950 mg/kg-bw

2-(4-tert-butylbenzyl)propionaldehyde: Oral Rat LD50 mg/kg 3.700

Skin Rabbit > 2.000 mg/kg LD50

(b) skin corrosion/irritation not applicable

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: not applicable

(f) carcinogenicity: not applicable

(g) reproductive toxicity: 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Mated female CrI:CD(SD)Br rats (animals/sex/dose not specified) were administered HHCB via gavage at 0, 2, 6 or 20 mg/kg-bw/day beginning on gestation day 14. The F1 offspring were exposed in utero and throughout lactation.

At the end of the pre-weaning period, 24 male and 24 female pups per dose were retained for further study. On day 22 post-partum, excess pups and parents were sacrificed and examined for abnormalities. When offspring were 84 days of age, males and females were mated and produced litters. After day 21 post-partum, all F2 pups and F1 dams were sacrificed and examined internally and externally for abnormalities. No adverse effects on behavior or reproduction were observed at any dose in parental animals or in F1 or F2 pups.

NOAEL (systemic and reproductive toxicity) = 20 mg/kg-bw/day (based on no effects at the highest dose tested)

(h) specific target organ toxicity (STOT) single exposure: not applicable

(i) specific target organ toxicity (STOT) repeated

exposure 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran: Sprague-Dawley rats (15/sex/dose) were administered HHCB via the diet at 0, 5, 15, 50 or 150 mg/kg-bw/day for 13

weeks. Test concentrations were determined from a range finding study in which a LOAEL of 300 mg/kg-bw/day (based on hepatic effects) was determined. Mean estimated test substance intakes were 5.4, 15.7, 51.8 or 155.8

mg/kg-bw/day for males and 5.1, 15.6, 51.9 or 154.6 mg/kg-bw/day for females. There were no mortalities, adverse

clinical signs or treatment-related effects on body weight, hematology or ophthalmologic evaluation. Slightly lower mean plasma triglyceride levels were observed at week 13 in males at 50 and 150 mg/kg-bw/day. Slightly lower plasma glucose concentrations were noted at week 7 in males and females given 15, 50 and 150 mg/kg-bw/day and at week 13 in males given 50 and 150 mg/kg-bw/day; these effects were not seen at the end of the 4-week recovery period. There were no treatment-related differences in absolute organ weights or organ weight

(j) aspiration hazard: not applicable

Related to contained substances:

diethyl phthalate

Oral LD50/rat: mg/kg 8600

Inhalation LC50/rat: 7.5 mg/l/4:0

LD50 dermal/guinea pig: 22400 > mg/kg

LD50 (rat) Oral (mg/kg body weight) = 8600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 22400

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 7,5

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

LD50 (rat) Oral (mg/kg body weight) = 3250

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 3250

1,4-dioxacycloheptadecane-5,17-dione:

LD50 (rat) Oral (mg/kg body weight) = 5000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

2-(4-tert-butylbenzyl)propionaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 3700

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

diethyl phthalate

Acute toxicity to fish:

Blue gill/EC50 (83d): 17 mg/l

Rainbow trout/LC50 (83d): 12 mg/l

Acute toxicity to aquatic invertebrates:

Daphnia magna/EC50 (48 h): 86 mg/l

Mysid shrimp/LC50 (83d): 10 mg/l

Acute toxicity to microorganisms:

Green algae/EC50 (83d): 90 mg/l

Marine algae/EC50 (83d): 66 mg/l

C(E)L50 (mg/l) = 12

1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone

Endpoint: LC50 species: Iepomismacrochirus (fish-salt Bluegrill) = 1.30 mg/l-h Duration: 96-Note:: method: OECD 203 TG

Endpoint: EC50-species: Daphnia magna (Water flea) = 1.38 mg/l-h Duration: 48-comments:: semi-static test method: OECD TG 202

Endpoint: EC50 Desmodesmus subspicatus-species (green algae) = 2.60 mg/l-h Duration: 72-

Note:: static test method: OECD TG201

C(E)L50 (mg/l) = 1,3

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

21 days Daphnia magna NOEC 111 g/L NOEC 21 days Bluegill sunfish (Iepomismacrochirus) 68 g/L NOEC 35-day

early life stage test Fathead minnows (Pimephales promelas) 68 g/L NOEC 72 h Algae (Pseudokirchneriella

subcapitata) 201 q/L 8 weeks NOEC Earthworm (Eisenia fetida) 45 q/kg Soil DM 4 weeks Springtails NOEC (Folsomia

candida) 45 g/kg Soil DM
C(E)L50 (mg/l) = 0,282
1,4-dioxacycloheptadecane-5,17-dione
C(E)L50 (mg/l) = 3,5
2-(4-tert-butylbenzyl)propionaldehyde
Daphnia magna 48 hrs-LC50 = 0.40 mg/l
Green algae 96 hrs-EC50 = 0.827 mg/l
C(E)L50 (mg/l) = 0,4

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.
The product can cause long-term adverse effects in the aquatic environment, being hardly degradable and / or bioaccumulative

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:
2-(4-tert-butylbenzyl)propionaldehyde
92% "biodegradation after 28 days. 96% after day 31.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

3082

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ethanone, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, 1,4-dioxacycloheptadecane-5,17-dione, 2-(4-tert-butylbenzyl)propionaldehyde)

14.3. Transport hazard class(es)

Class : 9
Label : 9
Tunnel restriction code : E
Limited quantities : 5 L
EmS : F-A, S-F

14.4. Packing group

III

14.5. Environmental hazards

Product is environmentally hazardous
Marine polluting agent : Yes

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Description of the sentences of risk set out in paragraph 3

- R22 = Harmful if swallowed.
- R36 = Irritating to eyes.
- R38 = Irritating to skin.
- R41 = Risk of serious damage to eyes.
- R50 = Very toxic to aquatic organisms.
- R51 = Toxic to aquatic organisms.
- R53 = May cause long-term adverse effects in the aquatic environment.

Description of the hazard statements exposed to point 3

- H302 = Harmful if swallowed.
- H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.
H411 = Toxic to aquatic life with long lasting effects.
H400 = Very toxic to aquatic life.
H410 = Very toxic to aquatic life with long lasting effects.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H361f = Suspected of damaging fertility.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC

Directive 2001/60/EC

Regulation 1272/2008/EC

Regulation 2010/453/EC

** The information contained herein is based on our knowledge at the date above.

Related solely to the product and do not constitute a guarantee of a particular quality.

It is the duty of the user to ensure that these are appropriate and complete information regarding the specific use intended.

This data sheet cancels and replaces any previous edition.
